



SAFETY DATA SHEET
EPO-TEK T7110 Part A

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK T7110 Part A
<u>Product No.</u>	EPO-TEK T7110 Part A
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Paste
<u>Color</u>	Grey.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Warning

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P501	Dispose of contents/container in accordance with local regulations.

Contains

Bisphenol A Diglycidyl Ether Resin

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Aquatic Chronic 3 - H412

Inhalation

Gas or vapor may irritate respiratory system.

Ingestion

May cause discomfort if swallowed.

Skin Contact

Irritating to skin.

Eye Contact

Irritating to eyes.

EPO-TEK T7110 Part A

3. COMPOSITION/INFORMATION ON INGREDIENTS

Bisphenol A Diglycidyl Ether Resin	10-30%
CAS No.: 25085-99-8	EC No.:
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2B - H320; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	
Reactive Diluent	5-10%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H312; Acute Tox. 4 - H332; Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317	

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract. Vapors may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause discomfort if swallowed.

Skin Contact

Skin irritation. Allergic rash.

Eye Contact

Irritating and may cause redness and pain.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C) >93

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO₂).

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground. Avoid release to the environment.

Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide good ventilation.

Storage

Store at moderate temperatures in dry, well-ventilated area. Keep container tightly sealed when not in use. Store away from: Oxidizing material. Reducing Agents.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
Aluminum Oxide (dust)*	PEL		15 mg/m3			

** This product contains Aluminum Oxide, which may cause respiratory irritation when inhaled in fine particulate form. Aluminum Oxide should not be respirable in this formulation. However, if cured material will be ground, milled, etc., wear respiratory protection to avoid inhaling any dust that may be produced.*

Protective Equipment



Engineering Measures

Provide adequate ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Wear protective gloves.

Eye Protection

Wear goggles/face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

EPO-TEK T7110 Part A

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Paste
<u>Color</u>	Grey.
<u>Odor</u>	Mild.
<u>Solubility</u>	Slightly soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	>93
<u>None.</u>	

10. STABILITY AND REACTIVITY

Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions.

Hazardous Polymerisation

Will not occur.

Conditions To Avoid

Avoid excessive heat for prolonged periods of time. Avoid contact with oxidizers or reducing agents.

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Bisphenol A Diglycidyl Ether Resin (CAS: 25085-99-8)

Toxic Dose 1 - LD 50

>15, 000 mg/kg (oral, rat)

Toxic Dose 2 - LD 50

>23, 000 mg/kg (dermal, rabbit)

Reactive Diluent (CAS: Proprietary)

Toxic Dose 1 - LD 50

1, 163 mg/kg (oral, rat)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility:

The product is partly soluble in water. May spread in the aquatic environment.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

EPO-TEK T7110 Part A

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

<u>General</u>	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).
<u>Road Transport Notes</u>	Not Classified
<u>Rail Transport Notes</u>	Not classified.
<u>Sea Transport Notes</u>	Not classified.
<u>Air Transport Notes</u>	Not classified.
<u>Transport Labels</u>	No transport warning sign required.

Environmentally Hazardous Substance/Marine Pollutant

No.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes

Not applicable.

15. REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

Aluminum Oxide

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

WARNING: This product contains a substance known to the State of California to cause cancer and/or reproductive harm.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

Aluminum Oxide

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

Aluminum Oxide

Rhode Island "Right To Know" List

The following ingredients are listed.

Aluminum Oxide

Minnesota "Right To Know" List

The following ingredients are listed.

Aluminum Oxide

New Jersey "Right To Know" List

The following ingredients are listed.

Aluminum Oxide (Non-Fibrous)

Pennsylvania "Right To Know" List

The following ingredients are listed.

Aluminum Oxide (Non-Fibrous)

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 25 June 2014

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



SAFETY DATA SHEET EPO-TEK T7110 Part B

1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK T7110 Part B
<u>Product No.</u>	EPO-TEK T7110 Part B
<u>Identification No.</u>	UN2735
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Liquid
<u>Color</u>	Clear
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Precautionary Statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P501	Dispose of contents/container in accordance with local regulations.

Contains Polyoxypropylenediamine

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H302; Skin Corr. 1B - H314
Environment	Not classified.

Inhalation

In high concentrations, vapors may irritate throat and respiratory system and cause coughing.

Ingestion

Harmful if swallowed. May cause stomach pain or vomiting. May cause internal injury.

Skin Contact

Causes burns. Harmful in contact with skin.

Eye Contact

Causes burns.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Polyoxypropylenediamine	60-100%
CAS No.: 9046-10-0	EC No.:
GHS Classification Acute Tox. 4 - H302; Skin Corr. 1B - H314	

4. FIRST-AID MEASURES

Description of first aid measuresInhalation

Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately!

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

Most important symptoms and effects, both acute and delayedInhalation

Vapors may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause stomach pain or vomiting.

Skin Contact

Burning pain and severe corrosive skin damage.

Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal damage.

Indication of any immediate medical attention and special treatment neededNotes To The Physician

Treat Symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO₂).

Specific Hazards

In case of fire, toxic gases may be formed (CO_x, NO_x).

Special Fire Fighting Procedures

Water spray should be used to cool containers.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Avoid release to the environment.

Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb with sand or other inert absorbent. Wear necessary protective equipment.

EPO-TEK T7110 Part B

Reference to other sections

For personal protection, see section 8.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Provide good ventilation.

Storage

Store at moderate temperatures in dry, well-ventilated area. Keep away from heat, sparks and open flame.

Storage Class

Corrosive storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Equipment



Process Conditions

Provide eyewash, quick drench.

Engineering Measures

Provide adequate ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Wear protective gloves.

Eye Protection

Wear goggles/face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Liquid
<u>Color</u>	Clear
<u>Odor</u>	Mild.
<u>Solubility</u>	Soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Vapor pressure</u>	<1 mm Hg 20
<u>Evaporation rate</u>	<BuAc

10. STABILITY AND REACTIVITY

Reactivity

Reaction with: Strong oxidizing agents. Strong reducing agents.

Stability

Stable under normal temperature conditions.

Hazardous Polymerisation

Will not occur.

EPO-TEK T7110 Part B

Conditions To Avoid

Avoid excessive heat for prolonged periods of time.

Materials To Avoid

Strong oxidizing substances. Strong reducing agents.

Hazardous Decomposition Products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Toxicological Information on Ingredients:

Polyoxypropylenediamine (CAS: 9046-10-0)

Toxic Dose 1 - LD 50

2, 880 mg/kg (oral, rat)

Toxic Dose 2 - LD 50

2, 980 mg/kg (dermal, rabbit)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN2735
<u>UN No. (IMDG)</u>	2735
<u>UN No. (ICAO)</u>	2735
<u>DOT Proper Shipping Name</u>	AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)
<u>TDG Proper Shipping Name</u>	AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)
<u>DOT Hazard Class</u>	8
<u>DOT Hazard Label Corrosive</u>	
<u>TDG</u>	<u>Class</u> 8
<u>TDG</u>	<u>Label(s)</u> 8
<u>IMDG</u>	<u>Class</u> 8
<u>ICAO</u>	<u>Class</u> 8

Transport Labels



DOT Pack Group IIIIMDG Pack Group IIIAir Pack Group IIIEnvironmentally Hazardous Substance/Marine Pollutant

No.

EMS F-A, S-B

15. REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

None of the ingredients are listed.

Rhode Island "Right To Know" List

None of the ingredients are listed.

Minnesota "Right To Know" List

None of the ingredients are listed.

New Jersey "Right To Know" List

None of the ingredients are listed.

Pennsylvania "Right To Know" List

None of the ingredients are listed.

International Inventories

EU - EINECS/ELINCS

None of the ingredients are listed.

Canada - DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan - MITI

All ingredients are listed or exempt.

Korea - KECI

EPO-TEK T7110 Part B

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 25 June 2014

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.